




|  BIO MEDICAL WASTE GENERATION  | | | | | | | |
|---|---|-------------|--------------------|------------------|---------------|------------------------|-------------|
| Location:- Medanta Airport mediclinic center (Terminal - 3) | | | | | November.2022 | | |
| Date | Incinerable Waste | | Autoclavable Waste | | | | |
| |  | Yellow Bag | Red Bag | Sharp Containers | Blue Bag | Metallic Body implants | Total |
| | Cytotoxic waste | Yellow Bag | Red Bag | Sharp Containers | Blue Bag | Metallic Body implants | Total |
| | Weight (Kg) | Weight (Kg) | Weight (Kg) | Weight (Kg) | Weight (Kg) | Weight (Kg) | Weight (Kg) |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 3.42 | 0 | 0 | 0 | 3.42 |
| 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 0 | 1.34 | 1.765 | 0 | 1.62 | 0 | 4.725 |
| 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | 0 | 0.8 | 2.18 | 0 | 0 | 0 | 2.98 |
| 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | 0 | 0.9 | 2.3 | 0 | 0 | 0 | 3.2 |
| 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Sheet1

| | | | | | | | |
|--------------|----------|--------------|--------------|----------|-------------|----------|---------------|
| 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 22 | 0 | 0.97 | 3.785 | 0 | 0 | 0 | 4.755 |
| 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 25 | 0 | 0.9 | 2.3 | 2 | 1.2 | 0 | 6.4 |
| 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 27 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 28 | 0 | 0.595 | 2.7 | 0 | 0 | 0 | 3.295 |
| 29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 31 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 0 | 5.505 | 18.45 | 2 | 2.82 | 0 | 28.775 |