




BIO MEDICAL WASTE GENERATION



Location:- Medanta Airport mediclinic center (Terminal - 2)

February.2021

| Date | Incinerable Waste | | Autoclavable Waste | | | | Total |
|------|---|-------------|--------------------|------------------|-------------|------------------------|-------|
| |  | Yellow Bag | Red Bag | Sharp Containers | Blue Bag | Metallic Body implants | |
| | Weight (Kg) | Weight (Kg) | Weight (Kg) | Weight (Kg) | Weight (Kg) | Weight (Kg) | |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0.5 | 0 | 0 | 0 | 0.5 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0.15 | 0.63 | 0 | 0 | 0 | 0.78 |
| 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 0 | 2.3 | 1 | 0 | 1.7 | 0 | 5 |
| 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | 0 | 0.635 | 1.41 | 0 | 0 | 0 | 2.045 |
| 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | 0 | 0.12 | 0 | 0 | 0 | 0 | 0.12 |
| 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 | 0 | 0 | 0.37 | 0 | 0 | 0 | 0.37 |
| 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18 | 0 | 0.2 | 0 | 0 | 0 | 0 | 0.2 |
| 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | |
|--------------|----------|-------------|--------------|----------|------------|----------|---------------|
| 23 | 0 | 0.665 | 1.01 | 0 | 0 | 0 | 1.675 |
| 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 25 | 0 | 0 | 0.26 | 0 | 0 | 0 | 0.26 |
| 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 27 | 0 | 0 | 0.255 | 0 | 0 | 0 | 0.255 |
| 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 0 | 4.07 | 5.435 | 0 | 1.7 | 0 | 11.205 |