




|  <b>BIO MEDICAL WASTE GENERATION</b>  |   |             |                    |                  |               |                        |             |
|---|---|-------------|--------------------|------------------|---------------|------------------------|-------------|
| Location:- Medanta Airport mediclinic center (Terminal - 2)   |   |             |                    |                  | January .2023 |                        |             |
| Date  | Incinerable Waste   |             | Autoclavable Waste |                  |               |                        |             |
|   |  | Yellow Bag  | Red Bag            | Sharp Containers | Blue Bag      | Metallic Body implants | Total       |
|   | Cytotoxic waste   | Yellow Bag  | Red Bag            | Sharp Containers | Blue Bag      | Metallic Body implants | Total       |
|   | Weight (Kg)   | Weight (Kg) | Weight (Kg)        | Weight (Kg)      | Weight (Kg)   | Weight (Kg)            | Weight (Kg) |
| 1   | 0   | 0           | 0                  | 0                | 0             | 0                      | 0           |
| 2   | 0   | 0           | 0                  | 0                | 0             | 0                      | 0           |
| 3   | 0   | 0           | 0                  | 0                | 0             | 0                      | 0           |
| 4   | 0   | 0           | 0                  | 0                | 0             | 0                      | 0           |
| 5   | 0   | 0.5         | 0.5                | 0                | 0             | 0                      | 1           |
| 6   | 0   | 0           | 0                  | 0                | 0             | 0                      | 0           |
| 7   | 0   | 0           | 0                  | 0                | 0             | 0                      | 0           |
| 8   | 0   | 0           | 0                  | 0                | 0             | 0                      | 0           |
| 9   | 0   | 0           | 0                  | 0                | 0             | 0                      | 0           |
| 10  | 0   | 0           | 0                  | 0                | 0             | 0                      | 0           |
| 11  | 0   | 0           | 0                  | 0                | 0             | 0                      | 0           |
| 12  | 0   | 0           | 0                  | 0                | 0             | 0                      | 0           |
| 13  | 0   | 0           | 0                  | 0                | 0             | 0                      | 0           |
| 14  | 0   | 0.55        | 0.3                | 0                | 0             | 0                      | 0.85        |
| 15  | 0   | 0           | 0                  | 0                | 0             | 0                      | 0           |
| 16  | 0   | 0           | 0                  | 0                | 0             | 0                      | 0           |
| 17  | 0   | 0.15        | 0.5                | 0                | 0             | 0                      | 0.65        |
| 18  | 0   | 0           | 0                  | 0                | 0             | 0                      | 0           |
| 19  | 0   | 0           | 0                  | 0                | 0             | 0                      | 0           |
| 20  | 0   | 0           | 0                  | 0                | 0             | 0                      | 0           |

Sheet1

|              |          |             |          |          |            |          |             |
|--------------|----------|-------------|----------|----------|------------|----------|-------------|
| 21           | 0        | 0           | 0        | 0        | 0          | 0        | 0           |
| 22           | 0        | 0           | 0        | 0        | 0          | 0        | 0           |
| 23           | 0        | 0           | 0        | 0        | 0          | 0        | 0           |
| 24           | 0        | 0           | 0.6      | 0        | 0          | 0        | 0.6         |
| 25           | 0        | 0           | 0        | 0        | 0          | 0        | 0           |
| 26           | 0        | 0           | 0        | 0        | 0          | 0        | 0           |
| 27           | 0        | 0.35        | 0.3      | 0        | 0          | 0        | 0.65        |
| 28           | 0        | 0           | 0        | 0        | 0          | 0        | 0           |
| 29           | 0        | 0           | 0        | 0        | 0          | 0        | 0           |
| 30           | 0        | 0.2         | 0.8      | 0        | 1.2        | 0        | 2.2         |
| 31           | 0        | 0           | 0        | 0        | 0          | 0        | 0           |
| <b>TOTAL</b> | <b>0</b> | <b>1.75</b> | <b>3</b> | <b>0</b> | <b>1.2</b> | <b>0</b> | <b>5.95</b> |